



Keith Stewart, Director

Prince George's County Public Schools

Louis Wilson Sr., Facilities Administration Building
13300 Old Marlboro Pike, Room 20
Upper Marlboro, MD 20772

NOTICE OF CONTRACT AWARD

September 2, 2021

American Energy Restaurant Equipment
7538 Fullerton Court
Springfield VA, 22153
Contact: James P. Strickler
Phone: (703) 644-6666
Email: Fsebid@cleandishes.cm

Francine Morris
Telephone: 301.952.6560
Fax: 301.952.6605
Email: pg_francine.morris@pgcps.org

SUBJECT: IFB 005-21 Furnish and Deliver Large Kitchen Equipment

American Energy Restaurant Equipment has been selected as the vendor to provide services in accordance with the above-mentioned **IFB 005-21**. This contract sets-forth the terms and conditions and is provided for your review and acceptance. Any changes or additions made by your company must first be accepted by the Purchasing Division before the contract is valid.

The intent of this contract is to provide the Board with an expedited means of procuring supplies and/or services at the lowest cost. This contract is for the convenience of the Board and is considered by Purchasing Department to be a "Non-Exclusive" use contract. The Board does not guarantee any usage. The Board will not be held to purchase any particular Brand, in any groups, prices or discount ranges, but reserves the right to purchase any item/items listed in the price schedule submitted.

Until the contract is signed by **American Energy Restaurant Equipment** and the BOARD, authorization for commence to service sites on behalf of the contract is forbidden. Please sign below and return all documents to the PURCHASING OFFICE within Ten (10) business days. Failure to sign the contract award and return all required documents within the specified time, shall rule your offer null and void and, therefore, award shall be made to the next low responsive bidder.

PERFORMANCE/PAYMENT BOND – N/A

A 100% Performance Bond and 100% Labor and Material Payment Bond or Certified Check in the amount of **\$0.00** made in favor of the **BOARD OF EDUCATION OF PRINCE GEORGE'S COUNTY, UPPER MARLBORO, MARYLAND 20772-9983**, must be submitted to the PURCHASING OFFICE with the returned signed NOTICE OF AWARD WITHIN TEN (10) DAYS.

The bond, cashiers or certified check must be made in favor of the **BOARD OF EDUCATION OF PRINCE GEORGE'S COUNTY, UPPER MARLBORO, MARYLAND 20772-9983.**

INITIAL CONTRACT TERM

The initial term of the contract will be for the following contracted period this contract shall be One (1) year at fix price from the date of award. The bidder warrants that prices for the bid under this IFB are not higher than prices currently extended to any other governmental agency for the same product or service.

OPTION TO RENEW CONTRACT

Upon satisfactory service and by mutual agreement the BOARD OF EDUCATION OF PRINCE GEORGE'S COUNTY reserves the right to renew the contract the anticipated terms of this contract. The term of renewal shall not exceed Four (4) additional One (1) year periods.

CONTRACT TERM:

This Contract is effective from September 1, 2021 through August 30, 2022

- The estimated amount of award: See Contract Pricing

THIS NOTICE OF AWARD IS NOT AN ORDER TO COMMENCE SERVICE/WORK OR TO MAKE DELIVERIES at this time. Commence service/work/deliveries only after receipt of a **Purchase Order** signed by the Purchasing Agent.

INSURANCE

A Certificate of Insurance, made in favor of the Board of Education of Prince George's County, Upper Marlboro, Maryland 20772-9983, must be submitted to the PURCHASING OFFICE with the returned signed NOTICE OF AWARD within ten (10) business days. The certificate should reference the Solicitation Number as shown herein. It will be the responsibility of the contractor to ensure that a current Certificate of Insurance is on file in the Purchasing Office during the entire period of the contract.

LIQUIDATED DAMAGES/FAILURE TO PERFORM WORK

The successful Awardee accepts this contract with the understanding that should they fail to complete the work in an acceptable manner and in the time stated, shall be subject to the payment of liquidated damages as stated in the solicitation documents.

AVAILABILITY OF FUNDS

The contract shall be deemed executory only to the extent of appropriations available to the BOARD for the purchase of such articles. The obligation of the BOARD on all contracts, including those which envision funding through current and successive fiscal years, shall be contingent upon actual Board appropriations for the fiscal year(s) involved.

FINGERPRINTING AND CRIMINAL BACKGROUND CHECKS

Employees Having Direct Contact with and/or Uncontrolled Access to Students:

- A. Any and all current and future employees of the Vendor who have direct contact with students must have a fingerprinting criminal background check conducted by the Maryland Criminal Justice Information System (CJIS) and the FBI, a Child Protective Services clearance conducted by the Prince George's County Department of Social Services, and complete the SafeSchools training module – *Prince George's County Child Abuse: Mandatory Reporting* and any other required training as appropriate.

- B. All background checks must be completed 15 business days prior to beginning work in and around PGCPs property or engaging in any authorized activities involved PGCPs students. The background checks must be completed by the Fingerprinting Office in the Sasscer Administrative Building or by the PGCPs satellite fingerprinting offices located in Prince George's County. No person may begin working in PGCPs until 15 days after completing the background clearance process (fingerprint and CPS) and required online training through SafeSchools.
- C. Prior to initiating any work at a school building, current and future employees, contractors, subcontractors, agents, volunteers, outsourced temporary staff, consultants and instructors of the Vendor must sign in and sign out via the Raptor Visitor Management System, which requires a copy of their government issued identification.
- D. Pursuant to Md. Education Code Ann. 6-113.2 (Code), a contractor of a Board of Education who provides a services to a school or the students of a school shall meet the requirements set forth for screening its employees assigned to work at a school site to determine whether such employees have a history of child sexual abuse and/or sexual misconduct. Consultant shall be solely responsible for completing the screening set forth in the Code, shall maintain records of employee screening, and shall make such records available to PGCPs upon request.

RESTRICTIONS ON EMPLOYEE ASSIGNMENTS

Vendors are prohibited from assigning the following persons from working at a PGCPs location:

- A. Registered sex offenders (Maryland Code, Criminal Procedure Article Section 11-722)
- B. Individuals convicted of a crime involving third or fourth degree sexual offence under sections 3-307 or 3-308 of the Criminal Law Article; child sexual abuse under Section 3-602 of the Criminal Law Article; a crime of violence as defined in Section 14-101 of the Criminal Law Article; or comparable offenses in another state. (Annotated Code of Maryland, Education Article Section 6-113)
- C. Individuals identified as an alleged abuse or neglecter following completion of a Child Protective Services investigation with a finding of "indicated" child abuse or neglect.

VENDOR RESPONSIBILITIES

- A. The Vendor agrees to provide the designated PGCPs representative with a list of all current employees and an immediate update of changes in personnel, employees, contractors, subcontractors, agents, volunteers, outsourced temporary staff, and any instructors. All correspondence should include the following information as applicable:
 - i. title of the project
 - ii. school/office
 - iii. solicitation number
 - iv. contract number; and

v. PGCPs representative/project manager

PERSONALLY IDENTIFIABLE INFORMATION (PII)

Personally Identifiable Information includes any information that can be associated with or traced to any individual, including an individual's name, address, telephone number, e-mail address, credit card information, social security number, or other similar specific factual information, regardless of the media on which such information is stored (e.g., on paper or electronically) and includes such information that is generated, collected, stored or obtained as part of this Agreement, including transactional and other data pertaining to users. The parties will comply with all applicable privacy and other laws and regulations relating to protection, collection, use, and distribution of Personally Identifiable Information. In no event may PII be sold or transferred to third parties, or otherwise provide third parties with access thereto. If there is a suspected or actual breach of security involving Personally Identifiable Information, the parties will notify each other within twenty-four (24) hours of a management-level employee becoming aware of such occurrence.

This notice of award, plus the solicitation, your offer and any pertinent documents will constitute the entire contract.

After acceptance by your firm and the BOARD. Please refer to **IFB 027-21** for all applicable terms and conditions.

ACCEPTED BY:

**AMERICAN ENERGY RESTAURANT
EQUIPMENT**


FOR THE BOARD OF EDUCATION:



SIGNATURE

9/8/2021

DATE:



SIGNATURE

Sep 8, 2021

DATE:

James P. Strickler

NAME

Keith Stewart

NAME:

Manager

TITLE

Director, Purchasing & Supply Services

TITLE

American Energy Rest. Equip

FIRM

FOR THE BOARD OF EDUCATION
OF PRINCE GEORGE'S COUNTY
UPPER MARLBORO, MARYLAND 20772

IFB No. 005-21 Morris 2:00PM Number of Responses Received: 7		Buyer: Francine Opening Date: 06/03/21 @ Number of IFB Mailed:		American Energy Bidder #2 American Energy Bidder #2		
NUM	ITEM DESCRIPTION	ESTIMATED ANNUAL QUANTITIES	UOM	Proposed Brand and Model Number	UNIT PRICE	EXTENTION
1	Lakeside utility cart. Model number 543 or approved equal. Unit will have 2 shelves at least 21" x 33" in size and shall be of fully welded 18 gauge stainless steel construction. Unit will hold loads up to 700 pounds. Unit will have bumpers mounted to handle ends and front legs. Unit will have four (4) 5 inch non-marking polyurethane swivel casters with two (2) being locking casters. Unit will come fully assembled.	20	EACH	Brand Lakeside Model # 543	\$1,044.75	\$20,895.00
2	Metro heated cabinet. Model number C569-SDS-UA or approved equal. Provide heated cabinet with top-mounted controls. Cabinet Material: Type 304 stainless steel; 20-gauge polished exterior; 22-gauge interior. • Insulation: Full perimeter, 2.5" thick, high-density fiberglass. R Value=9.9 • Casters: Four casters with 6" donut neoprene wheel, double ball bearing swivel, ball bearing axle, nickel plated, two with brake. Doors: Solid Dutch doors fully insulated, double-panel construction. • Hinges: Self-closing, lift-off, double hinged, with long-life nylon bearings. • Gaskets: High temperature, cabinet mounted, Santoprene gaskets. • Latches: Two chrome plated, high-strength magnetic pull latches with lever-action release. • Handles: Four built-in polymer handles. • Universal Slides: Universal wire slides; 1/4" diameter nickel chrome wire adjustable on 11/2" increments. Type 304, stainless steel vertical uprights. • Display and Controls: Analog cabinet thermometer with independent thermostat control knob. • Heat Generation System: Thermostatically controlled 1950 Watt heating element, half heating blower motor, and ducted air system. • Card: 71 DLW-PT-HD or approved equal. Provide 1 section pass-thru warmer with 4 half doors, Stainless Steel Interior and Exterior including doors, Self-Contained Performance-Rated Heating System, 90°F to 180°F Temperature Range, Unique Air Flow Distribution Ducts, Top Mounted Heating Plenum "Plug" with Circulating Fan, 3" Non-CFC Polyurethane Foam Insulation, Smooth, Polished Chrome Worktop Door Handles, Cam-Action, Lift-Off Hinges, Tray Slides (9 top, 6 bottom), Stainless Steel Strip Heaters (located at the Base of the Interior), Magnetic Snap-In Door Gasket, Cylinder Lock in Each Door, 6" Locking Casters, Self-Closing Doors, Automatic Interior Lighting, Electronic Controller w/Digital Display & Hi-Low Alarm, 26" wide, 63 1/2" Height. Unit shall come with 3 year parts and labor warranty.	25	EACH	Brand Cres Cor Model # H-137-50A120K	\$5,088.00	\$127,200.00
3	DLW-PT-HD or approved equal. Provide 1 section pass-thru warmer with 4 half doors, Stainless Steel Interior and Exterior including doors, Self-Contained Performance-Rated Heating System, 90°F to 180°F Temperature Range, Unique Air Flow Distribution Ducts, Top Mounted Heating Plenum "Plug" with Circulating Fan, 3" Non-CFC Polyurethane Foam Insulation, Smooth, Polished Chrome Worktop Door Handles, Cam-Action, Lift-Off Hinges, Tray Slides (9 top, 6 bottom), Stainless Steel Strip Heaters (located at the Base of the Interior), Magnetic Snap-In Door Gasket, Cylinder Lock in Each Door, 6" Locking Casters, Self-Closing Doors, Automatic Interior Lighting, Electronic Controller w/Digital Display & Hi-Low Alarm, 26" wide, 63 1/2" Height. Unit shall come with 3 year parts and labor warranty.	25	EACH	Brand Continental Model # DLZW PT-HD	\$8,486.00	\$212,150.00
4	Cres Cor 2 compartment cook and hold cabinet. Model number 100-CH-SS-2DE or approved equal. Provide 2 compartment Cook and Hold Cabinet with Solid state electronic controlled time and temperature. Outer body of 22 gauge stainless steel. Inner body, top and frame of 18 gauge stainless steel. Fiberglass insulation 1-1/2" in walls; 1" in door. Stainless steel internal frame, coved corners. Anti-microbial chrome plated latches. Separate thermometer for each compartment. Six (6) heated inner walls. Removable pan supports for (16 or 8) 18" x 28" pans spaced on 3" centers. Casters 5" modulus casters with brakes (2) swivel, (2) rigid, Delrin bearings. Load capacity 250 lbs. each. 6000 Watts, 208/240 Volts, 60 Hz., 3 Phase. Must have one unit available in-house for immediate delivery defined as within 10 business days of receipt of Purchase Order. 208V 3 Phase. Unit shall come with 2-Year Parts / 1-Year Labor warranty and Lifetime warranty on heating	5	EACH	Brand Cres Cor Model # 100-CH-SS-2DE	\$8,712.00	\$43,560.00
5	Southbend single stack electric convection oven. Model number KLES/10SC or approved equal. Provide standard sized Energy Star compliant electric convection oven, 11kW high efficiency heating elements, standard depth. Single deck convection oven is 55" in height with legs and casters, Patented "plug-in, plug-out" control panel, Slide out control panel for full view servicing, Stainless Steel front, sides and top, Dependent 2-piece stainless steel glass doors (Full 180° opening), Energy saving high efficiency glass windows, Heat keeping dual door seal system, Coved, fastener-free, porcelain interior, Stay cool heavy duty door handle, Two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks. Solid state thermostat and 60 minute mechanical cook timer. Forced cool down fan mode, Oven "heat" light cycles with burners, Two 40 watt interior high temperature recessed lamps, Manual reset high limit temperature control, Control Panel located on front, at right side of oven, away from heat zone, unit shall come installed with 26" Stainless steel, triangular legs with 6" locking casters. Unit shall have 3 year parts and labor warranty and 5 year door warranty.	10-208V 10-480V	EACH	Brand Southbend Model # KLES/10SC Brand Southbend Model # KLES/10SC	\$ 3835 \$ 4241	\$ 38350 \$42410
6	Southbend double stack electric convection oven. Model number KLES/20C or approved equal. Provide standard sized Energy Star compliant double stack electric convection oven, 11kW high efficiency heating elements, standard depth. Double deck convection oven is 64.8" in height with casters, Patented "plug-in, plug-out" control panel, Slide out control panel for full view servicing, Stainless Steel front, sides and top, Dependent 2-piece stainless steel glass doors (Full 180° opening), Energy saving high efficiency glass windows, Heat keeping dual door seal system, Coved, fastener-free, porcelain interior, Stay cool heavy duty door handle, Two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks. Solid state thermostat and 60 minute mechanical cook timer, Forced cool down fan mode, Oven "heat" light cycles with burners, Two 40 watt interior high temperature recessed lamps, Manual reset high limit temperature control, Control Panel located on front, at right side of oven, away from heat zone, unit shall come installed with 6" locking casters. Unit shall have 3 year parts and labor warranty and 5 year door warranty.	10-208V 10-480V	EACH	Brand Southbend Model # KLES/20SC Brand Southbend Model # KLES/20SC	\$ 7264 \$ 7349	\$ 72640 \$ 73490
7	Southbend single stack gas convection oven. Model number KLG5/17SC or approved equal. Provide standard sized Energy Star compliant single stack gas convection oven with 3 ft. 3/4 inch quick-connect flex gas hose. Oven shall have patented, high efficiency, non-clog Inshot burners, 53,000 BTU (NAT or LP), standard depth single deck convection oven is 57-1/2" in height with 6" casters, "plug-in, plug-out" control panel, easy to service slide out control panel for full view servicing, stainless steel front, top and sides, dependent glass doors (Full 180° opening), energy saving high efficiency glass windows, heat keeping dual door seal system, coved, fastener-free, porcelain interior, stay cool heavy duty door handle, soft air, two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks, electronic ignition with solid state temperature controls, 140°F to 500°F solid state thermostat and 60 minute mechanical cook timer. Forced cool down fan mode, oven "heat" light cycles with burners, interior oven lights, Unit shall have 3 years parts and labor warranty and 5 year door warranty. Unit shall come installed with 26" Stainless steel, triangular legs with 6" locking casters. Unit shall have 3 year parts and labor warranty and 5 year door warranty.	15	EACH	Brand Southbend Model # KLG5/17SC	\$3,919.00	\$58,785.00
8	Southbend double stack gas convection oven. Model number KLG5/27SC or approved equal. Provide standard sized Energy Star compliant double stack gas convection ovens with 3 ft. 3/4 inch quick-connect flex gas hose. Both compartments shall have patented, high efficiency, non-clog Inshot burners, 53,000 BTU (NAT or LP), standard depth single deck convection oven is 66.8" in height with 6" casters, "plug-in, plug-out" control panel, easy to service slide out control panel for full view servicing, stainless steel front, top and sides, dependent glass doors (Full 180° opening), energy saving high efficiency glass windows, heat keeping dual door seal system, coved, fastener-free, porcelain interior, stay cool heavy duty door handle, soft air, two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks, electronic ignition with solid state temperature controls, 140°F to 500°F solid state thermostat and 60 minute mechanical cook timer. Forced cool down fan mode, oven "heat" light cycles with burners, interior oven lights, Unit shall have 3 years parts and labor warranty and 5 year door warranty. Unit shall come installed with 6" locking casters. Unit shall come with 3/4 inch, 3 ft.	20	EACH	Brand Southbend Model # KLG5/27SC	\$7,393.00	\$147,860.00

IFB No. 005-21 Morris 2:00PM Number of Responses Received: 7	Buyer: Francisc Opening Date: 06/03/21 @ Number of IFB Mailed:	American Energy Bidder #2	American Energy Bidder #2
9 Continental 34" single access forced air milk cooler. Model number MC3-55-S or approved equal. Provide 34" single access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless-steel lid, door hinges, latches, with reinforced stainless-steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty.	25 EACH	Brand Beverage Air Model # SMF34HC-1-S \$2,334.00	\$58,350.00
10 Continental 34" dual access forced air milk cooler with low profile evaporator. Model number MC3-55-D or equal. Provide 34" dual access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless steel lids, door hinges, latches, with reinforced stainless steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty.	10 EACH	Brand Continental Refrigerator Model # MC3NSSD \$4,614.00	\$46,140.00
11 Continental 49" single access forced air milk cooler. Model number MC4-55-S or approved equal. Provide 49" single access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless-steel lid, door hinges, latches, with reinforced stainless steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty.	40 EACH	Brand Beverage Air Model # SMF49HC-1-S \$2,681.00	\$107,240.00
12 Continental 49" dual access forced air milk cooler with low profile evaporator. Model number MC4-55-D or approved equal. Provide 49" dual access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless-steel lids, door hinges, latches, with reinforced stainless-steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty.	15 EACH	Brand Beverage Air Model # StF49HC-1-S \$3,522.00	\$52,830.00
13 Continental 1 Section pass-thru refrigerator with half doors. Model number 1RNSP1HD or approved equal. Provide and install 1-section Energy Star qualified pass-thru refrigerator. Unit shall have stainless steel interior and exterior including doors, self-contained, performance-rated "plug" refrigeration system, environmentally-safe R-290 refrigerant, top of cabinet refrigeration system accessibility, 3" non-CFC polyurethane foam insulation, smooth, polished chrome worklow door handles, cam-action, lift-off hinges, 11 tray slides per half section, automatic hot gas condensate evaporator, expansion valve system, magnetic snap-in door gasket, cylinder lock in each door, 5" casters, self-closing doors, LED interior lighting, electronic controller w/digital display & Hi-Low Alarm, 21 cu.ft, 26" wide, 38-3/4 in. deep, 82-1/4 in. high, 4 half doors, 10 ft attached cord with plug. Unit shall come with 3 year parts and labor warranty and 5 year compressor warranty.	10 EACH	Brand Beverage Air Model # PRO1HC-1AHS \$5,768.00	\$57,680.00
14 Continental 2 section reach in refrigerator. Model number 2RNS or approved equal. Provide and install 2-section Energy Star qualified 2 section reach in refrigerator with 2 full doors with condensate pan. Unit shall have stainless steel interior, exterior, and doors, Self-Contained, Performance-Rated "Plug" Refrigeration System, Environmentally-Safe R-290 refrigerant, top of cabinet refrigeration system accessibility, 3" Non-CFC Polyurethane Foam Insulation Smooth, Polished Chrome Worklow Door Handles, Cam-Action, Lift-Off Hinges, 6 Heavy-Duty, Epoxy-Coated Steel Shelves, Automatic, Electric Condensate Evaporator, Magnetic Snap-In Door Gaskets, Cylinder Lock in Each Door, 5" Casters, Self-Closing Doors, LED Interior Lighting, Electronic Controller w/Digital Display & Hi-Low Alarm, 48 cu. ft, 52" wide, 35-3/8 in. deep, 82-1/4 in. in height with 5" casters, 10 ft attached cord with plug. Unit shall come with 3 year parts and labor warranty and 5 year compressor warranty.	60 EACH	Brand Hoshizaki Model # R2AFS \$3,359.00	\$201,540.00
15 Continental 2 section reach in freezer. Model number 2F-55 or approved equal. Provide and install 2-section Energy Star qualified 2 section reach in freezer with 2 full doors with condensate pan. Unit must be NSF approved. Unit shall have two full size doors and a minimum net capacity of at least 46 cubic feet. The interior and exterior including the doors shall be stainless steel and will have polyurethane insulation throughout. Each door will have an integrated handle, spring assisted self-closing hinges. The unit shall have LED lighting with proximity door switches and 3 epoxy coated wire shelves per cabinet section. The refrigeration system shall be hermetically sealed, air cooled, and located on top of the cabinet. All condensate water will be disposed of with a non-electric condensate evaporator. Unit shall feature an LED temperature indicator an audio/visual alarms for temperature, power interruption, door ajar. Unit will go into energy saving mode when the doors have not been opened for four hours. Unit shall come mounted on 4" casters. Unit will come with a 3 year parts and labor warranty and 5 year compressor warranty.	60 EACH	Brand Hoshizaki Model # R2AFS \$4,324.00	\$259,440.00
16 Continental 2 compartment gas steamer. Model number 2CS or approved equal. Unit shall be a two compartment gas steamer with SteamSaver™ Technology and Energy Star approved, Independent steam generators, 50,000 BTU's input per compartment. "SureCook" electro mechanical timer with load compensating feature. Gas valve and water level control system. Exclusive remote probe-type water level controls. Exclusive Brass "Steam Jet" distribution system. Two-piece free-floating compartment door. Pullout service drawer for controls and Gemini Drain/Power Control System. Cooking Capacity for up to ten 12" x 20" x 2 1/2" deep Hotel Pans, five each compartment. Cabinet exterior and cooking compartments shall be 14 gauge, 304 stainless steel. Unit shall come with quick-connect flex 3/4 inch, 3 ft. gas hose and water filtration system specific to water composition based on test results conducted and provided by vendor. Unit will come with at least 2	15 EACH	Brand Cleveland Model # 24C6A10.2ES \$18,597.00	\$278,955.00

IFB No. 005-21 Morris 2:00PM Number of Responses Received: 7	Buyer: Francine Opening Date: 06/03/21 @ Number of IFB Mailed:				American Energy Bidder #2	American Energy Bidder #2
17	Cleveland 2 compartment electric steamer. Model number 24CEA10 or approved equal. Unit shall be a two compartment floor model electric steamer with twin electric atmospheric steam generator, 32 KW input. Remote probe type water level controls Steam generator with automatic water fill on start-up. Automatic generator blowdown, 2 each 16.5 KW fire bar heating elements. Cold water condenser design. Unit must distribute steam through high velocity jets without using fans. Cabinet exterior and cooking compartments shall be Type 430 stainless steel. Unit shall come with water filtration system specific to water composition based on test results conducted and provided by vendor. Unit will come with 2 year parts and labor warranty. Please quote for 208 volt 3 phase	10-208V 10-480V	EACH	Brand Cleveland Model # 24CEA10 Brand Cleveland Model # 24CEA10	\$ 15823 \$ 16184	\$ 158230 \$161840
18	Rational combination convection oven/steamer. Model number SCC-102-G or approved equal. Unit shall be an Energy Star Qualified combination convection oven / steamer with simple to operate programmable controls for Hot Air, Convection Steam, and Combination cooking modes, slow cooking capabilities, multiple cooking stage programs, stored recipe library, multipoint core temperature probe, one step recipe start buttons, smart key for selecting option settings. Five speed auto reversing convection fan. Delta T cooking. Quiet high efficiency power burner heating system; door with antibacterial hygienic door handle. Must have the capacity to hold up to ten 12" x 20" x 2 1/2" pans. Unit shall come with hands free automatic compartment washing system, stand, provided water filtration system specific to water composition based on test results conducted by vendor, 3/4 in, 3 ft. quick connect flex gas hose, 10 wire racks, and sheet tray adapter bar. WiFi diagnostic capability. Unit will come with 2	15	EACH	Brand Rational Model # ICP 10 FULL NG 208/240V 1 PH	\$22,123.00	\$331,845.00
19	Rational combination convection oven/steamer. Model number SCC-102-E or approved equal. Unit shall be an Energy Star Qualified combination convection oven / steamer with simple to operate programmable controls for Hot Air, Convection Steam, and Combination cooking modes, slow cooking capabilities, Multiple cooking stage programs, stored recipe library, multipoint core temperature probe, one step recipe start buttons, smart key for selecting option settings. Five speed auto reversing convection fan. Delta T cooking, Quiet high efficiency power burner heating system; door with antibacterial hygienic door handle. Must have the capacity to hold up to ten 12" x 20" x 2 1/2" pans. Unit shall come with hands free automatic compartment washing system, stand, provided water filtration system specific to water composition based on test results conducted by vendor, at least 10 wire racks, and sheet tray adapter bar. WiFi diagnostic capability. Unit will come with 2 parts and labor warranty and 5 year generator warranty. Please quote for 208 volt 3 phase and 480 volt	5-208V 5-480V	EACH	Brand Rational Model # ICP 10 FULL E 208/240V 3 PH Brand Rational Model # ICP 10 FULL E 480V 3 PH	\$ 18542 \$ 18545	\$ 92710 \$92725
20	Garland heavy duty electric range . Model number 35E or approved equal. Unit shall be a heavy duty electric range with boiling plate top. Top will consist of two 18" boiling plates with four heat zones, each controlled by three-heat switch. Full Sized oven is controlled by a heavy duty electromechanical thermostat. Oven interior shall be approximately 13" high x 26" wide x 29" deep with removable four-position chrome plated rack guides and one oven rack, front and rear stainless steel grease troughs. Oven body will have stainless steel front and sides. Unit shall have four polyurethane swivel casters with front brakes. Manufacturer training (repair and maintenance) provided for County equipment maintenance employees. Must have one unit available in-house for immediate delivery defined as within 72 hours of receipt of Purchase Order. Unit will come with 2 year parts and labor warranty	4-208V 4-480V	EACH	Brand Model # Brand Model #	\$ 0 \$ 0	\$ 0 \$ 0
21	Southbend heavy duty open burner gas range. Model number 524C or approved equal. The unit shall be a 24-3/8" wide restaurant style range with four (4) 28,000 BTU NAT (24,000 BTU LP) open-top burners with four (4) removable cast iron grate tops. The exterior of the unit shall be constructed of stainless steel and have a 4" stainless steel front rail with closed, welded end caps. The unit shall have 6" casters. The unit shall come with a 10" high stainless-steel flue riser. The unit shall come with a factory installed regulator and 3/4" 3 ft. quick disconnect flexible gas hose. The unit shall come with an aluminized cabinet base with doors. Must have one unit available in-house for immediate delivery defined as within 72 hours of receipt of Purchase Order. Unit will come with 2 year parts and labor warranty	8	EACH	Brand Model # Brand Model #	\$0.00	\$0.00
22	Cleveland 25 gallon gas steam jacketed kettle. Model number KGL-25 or approved equal. Provide self-contained, stationary, 25 gallons, natural gas, 2/3 Steam Jacketed Kettle, Type 304 Stainless Steel and supports. Jacket rated at 50psi with Safety Valve. Complete with "Splash-Proof" Solid-State Water Level, Temperature, and Safety Low Water Power Cut-Off, including L.E.D. Indicators for Heat Cycle and Low Water Warning. Self-contained gas stationary kettle is easily installed, only needs a gas connection and a 115 volt outlet. Precise, consistent temperature control, less than 1°C temperature variance. Operating temperature range from 145°F-260°F (63°C-127°C). Power On/Off Switch. 90,000 BTU firing rate and 58,500 BTU directly applied to the product. Supplied with Gas Pressure Regulator. Heavy-duty Rolled Rim design provides strong reinforcement, prevents damages from abuse. "Splash-Proof" rear-mounted pressure/vacuum gauge. Steam jacket permanently filled with treated distilled water, venting and/or refilling is not required. Automatic Electronic Spark Ignition System. Unit shall come with cord and plug for 115 volt controls, Support Legs with level adjustable feet, flanged for floor bolting, Spring Assist Cover and 2" flanged draw-off are standard. Unit shall come with cold water faucet, 36" kettle paddle, and 3/4" 4 FT. quick disconnect flexible gas hose. Unit shall come with 2 year parts and labor warranty.	20	EACH	Brand # Model #	\$12,911.00	\$258,220.00
23	Cleveland 25 gallon electric steam jacketed kettle. Model number KEL-25 or approved equal. Provide Electric Kettle, Tri-leg mounted, self-contained, stationary, Model 25 gallon, 2/3 Steam Jacketed, Type 304 Stainless Steel Kettle and Supports. Rated 50 psi with Safety Valve; Permanently filled Treated Water Steam Jacket. Spring-assisted Domed Cover. Splash Proof Solid State Temperature (±1° C) and Safety Control System in plug-in Module including Heat Cycle and Low Water L.E.D. indicators. Power ON/OFF Switch, Adjustable Temperature Control Dial, Operating temperature range from 145° - 260°F (63°C - 127°C) Base Mounted for Floor Bolting with three (3), tri-bolt flanges. 2" diameter Tangent Draw-off Valve. Self-contained, easily installed - needs only an electrical hook-up. Unit shall come with cold water faucet, 36" kettle paddle, and 2 year parts and labor warranty. Please quote for 208 volt 3 phase and 480 volt 3 phase units.	10-208V 10-480V	EACH	Brand Model # Brand Model #	\$ 11546 \$ 12264	\$ 115460 \$ 122640
24	Advance Tabco stainless steel work table. Model number 55-306 or approved equal. Provide fully assembled work table, 72" L x 30"W x 34"H Work Height, 14 gauge 304 stainless steel flat top with bull nose edge, 18 gauge stainless steel undershaft installed 10" above the floor, stainless steel legs & adjustable bullet feet, NSF, two year warranty.	40	EACH	Brand # Model #	\$0.00	\$0.00
Total						\$2,262,690.00