

Prince George's County Public Schools

Louis Wilson Sr., Facilities Administration Building 13300 Old Marlboro Pike, Room 20 Upper Marlboro, MD 20772

NOTICE OF CONTRACT AWARD

September 1, 2021

Ashland Equipment a Division of Singer MD, LLC 1324 Brass Mill Road Bel, MD 21017

Contact: Adam Renaldo, CFO

Phone: (410) 273-1856

Email: arenaldo@singerequipment.com

Francine Morris Telephone: 301.952.6560 Fax: 301.952.6605

Email: pg francine.morris@pgcps.org

SUBJECT: IFB 005-21 LARGE KITCHEN EQUIPMENT

Ashland Equipment a Division of Singer MD, LLC has been selected as the vendor to provide services in accordance with the above-mentioned IFB 005-21. This contract sets-forth the terms and conditions and is provided for your review and acceptance. Any changes or additions made by your company must first be accepted by the Purchasing Division before the contract is valid.

The intent of this contract is to provide the Board with an expedited means of procuring supplies and/or services at the lowest cost. This contract is for the convenience of the Board and is considered by Purchasing Department to be a "Non-Exclusive" use contract. The Board does not guarantee any usage. The Board will not be held to purchase any particular Brand, in any groups, prices or discount ranges, but reserves the right to purchase any item/items listed in the price schedule submitted.

Until the contract is signed by **Ashland Equipment a Division of Singer MD**, **LLC** and the BOARD, authorization for commence to service sites on behalf of the contract is forbidden. Please sign below and return all documents to the PURCHASING OFFICE within Ten (10) business days. Failure to sign the contract award and return <u>all</u> required documents within the specified time, shall rule your offer null and void and, therefore, award shall be made to the next low responsive bidder.

PERFORMANCE/PAYMENT BOND - N/A

A 100% Performance Bond and 100% Labor and Material Payment Bond or Certified Check in the amount of \$0.00 made in favor of the BOARD OF EDUCATION OF PRINCE GEORGE'S COUNTY, UPPER MARLBORO, MARYLAND 20772-9983, must be submitted to the PURCHASING OFFICE with the returned signed NOTICE OF AWARD WITHIN TEN (10) DAYS.

The bond, cashiers or certified check must be made in favor of the **BOARD OF EDUCATION OF PRINCE GEORGE'S COUNTY, UPPER MARLBORO, MARYLAND 20772-9983.**

INITIAL CONTRACT TERM

The initial term of the contract will be for the following contracted period this contract shall be One (1) year at fix price from the date of award. The bidder warrants that prices for the bid under this IFB are not higher than prices currently extended to any other governmental agency for the same product or service.

OPTION TO RENEW CONTRACT

Upon satisfactory service and by mutual agreement the BOARD OF EDUCATION OF PRINCE GEORGE'S COUNTY reserves the right to renew the contract the anticipated terms of this contract. The term of renewal shall not exceed Four (4) additional One (1) year periods.

CONTRACT TERM:

This Contract is effective from September 1, 2021 through August 30, 2022

CONTRACT AWARD ITEMS BELOW:

- Metro Brand Heated Cabinet. Model Number C569-SDS-UA
- Southbend Single Stack Electric Convection Oven. Model Number KLES/10SC 208V 3 Phase, 480V
 3 Phase
- Southbend Double Stack Electric Convection Oven. Model Number KLES/20CCH 208V 3 Phase, 480V 3 Phase
- Southbend Single Stack Gas Convection Oven. Model Number KLGS/17SC
- Southbend Double Stack Gas Convection Oven. Model Number KLGS/27SG
- Continental Single Access Forced Air Milk Cooler. Model Number MC3-SS-S
- Continental Dual Access Forced Air Milk Cooler with Low Profile Evaporator. Model Number MC3-SS-D
- Continental Single Access Forced Air Milk Cooler. Model Number MC4-SS-S
- Continental Dual Access Forced Air Milk Cooler with Low Profile Evaporator. Model Number MC4-SS-D

See Contract Pricing Sheet

THIS NOTICE OF AWARD IS NOT AN ORDER TO COMMENCE SERVICE/WORK OR TO MAKE **DELIVERIES** at this time. Commence service/work/deliveries only after receipt of a **Purchase Order** signed by the Purchasing Agent.

INSURANCE

A Certificate of Insurance, made in favor of the Board of Education of Prince George's County, Upper Marlboro, Maryland 20772-9983, must be submitted to the PURCHASING OFFICE with the returned signed NOTICE OF AWARD within ten (10) business days. The certificate should reference the Solicitation Number as shown herein. It will be the responsibility of the contractor to ensure that a current Certificate of Insurance is on file in the Purchasing Office during the entire period of the contract.

LIQUIDATED DAMAGES/FAILURE TO PERFORM WORK

The successful Awardee accepts this contract with the understanding that should they fail to complete the work in an acceptable manner and in the time stated, shall be subject to the payment of liquidated damages as stated in the solicitation documents.

AVAILABILITY OF FUNDS

The contract shall be deemed executory only to the extent of appropriations available to the BOARD for the purchase of such articles. The obligation of the BOARD on all contracts, including those which envision funding through current and successive fiscal years, shall be contingent upon actual Board appropriations for the fiscal year(s) involved.

FINGERPRINTING AND CRIMINAL BACKGROUND CHECKS

Employees Having Direct Contact with and/or Uncontrolled Access to Students:

A. Any and all current and future employees of the Vendor who have direct contact with students must have a fingerprinting criminal background check conducted by the Maryland Criminal Justice Information

System (CJIS) and the FBI, a Child Protective Services clearance conducted by the Prince George's County Department of Social Services, and complete the SafeSchools training module – *Prince George's County Child Abuse: Mandatory Reporting* and any other required training as appropriate.

- B. All background checks must be completed 15 business days prior to beginning work in and around PGCPS property or engaging in any authorized activities involved PGCPS students. The background checks must be completed by the Fingerprinting Office in the Sasscer Administrative Building or by the PGCPS satellite fingerprinting offices located in Prince George's County. No person may begin working in PGCPS until 15 days after completing the background clearance process (fingerprint and CPS) and required online training through SafeSchools.
- C. Prior to initiating any work at a school building, current and future employees, contractors, subcontractors, agents, volunteers, outsourced temporary staff, consultants and instructors of the Vendor must sign in and sign out via the Raptor Visitor Management System, which requires a copy of their government issued identification.

RESTRICTIONS ON EMPLOYEE ASSIGNMENTS

Vendors are prohibited from assigning the following persons from working at a PGCPS location:

- A. Registered sex offenders (Maryland Code, Criminal Procedure Article Section 11-722)
- B. Individuals convicted of a crime involving third or fourth degree sexual offence under sections 3-307 or 3-308 of the Criminal Law Article; child sexual abuse under Section 3-602 of the Criminal Law Article; a crime of violence as defined in Section 14-101 of the Criminal Law Article; or comparable offenses in another state. (Annotated Code of Maryland, Education Article Section 6-113)
- C. Individuals identified as an alleged abuse or neglector following completion of a Child Protective Services investigation with a finding of "indicated" child abuse or neglect.

VENDOR RESPONSIBILITIES

- A. The Vendor agrees to provide the designated PGCPS representative with a list of all current employees and an immediate
 - update of changes in personnel, employees, contractors, subcontractors, agents, volunteers, outsourced temporary staff,

and any instructors. All correspondence should include the following information as applicable:

- i. title of the project
- ii. school/office
- iii. solicitation number
- iv. contract number; and
- v. PGCPS representative/project manager

PERSONALLY IDENTIFIABLE INFORMATION (PII)

Personally Identifiable Information includes any information that can be associated with or traced to any individual, including an individual's name, address, telephone number, e-mail address, credit card information, social security number, or other similar specific factual information, regardless of the media on which such information is stored (e.g., on paper or electronically) and includes such information that is generated, collected, stored or obtained as part of this Agreement, including transactional and other data pertaining to users. The parties will comply with all applicable privacy and other laws and regulations relating to protection, collection, use, and distribution of Personally Identifiable

Information. In no event may PII be sold or transferred to third parties, or otherwise provide third parties with access thereto. If there is a suspected or actual breach of security involving Personally Identifiable Information, the parties will notify each other within twenty-four (24) hours of a management-level employee becoming aware of such occurrence.

This notice of award, plus the solicitation, your offer and any pertinent documents will constitute the entire contract. After acceptance by your firm and the BOARD. Please refer to IFB 005-21 for all applicable terms and conditions.

ACCEPTED BY:			
ASHLAND EQUIPMENT A DIVIS	ION OF SINGER	FOR THE BOARI	D OF EDUCATION:
	9.13.21	keith.stewart@pgcps.org keitn.stewart@pgcps.org (Sep 14,	Sep 14, 2021
SIGNATURE	DATE	SIGNATURE	DATE
Todd Schaeffer		Keith Stewart	
NAME		NAME:	
ND/QW		Director, Purchasing & Su	apply Services
TITLE.		TITLE	
c. A.) I. I		FOR THE BOARD OF E	DUCATION

OF PRINCE GEORGE'S COUNTY

UPPER MARLBORO, MARYLAND 20772

		Furnishing and Delivering Lar					
	IFB No. 005-21 Buyer: Francince Morris Opening Date: 06/03/21 @ 2:00PM Number of IFB Mailed: Number of Responses Received: 7				Ashland Equipment a div of Singer Bidder #7	Ashland Equipment a div of Singer Bidder #7	
1 NUN	ITEM DESCRIPTION	ESTIMATED ANNUAL QUANTITIES	NOM	Proposed Brand and Model Number	UNIT PRICE	EXTENTION	
1	Lakeside utility cart. Model number 543 or approved equal. Unit will have 2 shelves at least 21" x 33" in size and shall be of fully welded 18 gauge stainless steel construction. Unit will hold loads up to 700 pounds. Unit will have bumpers mounted to handle ends and front legs. Unit will have four (4) 5 inch non-marking polyurethane swivel casters with two (2) being locking casters. Unit will come fully assembled.	20	EACH	Brand Lakeside Model # 543	\$995.00	\$19,900.00	
2	Metro heated cabinet. Model number C569-SDS-UA or approved equal. Provide heated cabinet with top-mounted Controls. Cabinet Materiat. Type 304 stainless steel; 20-gauge polished exterior; 22-gauge interior. Insudation: Full perimeter, 2.5' thick, high-density liberglass. R Value—9.9 + Casters: Four casters with 6' donut neoprene wheel, double ball bearing swivel, ball bearing axie, nickel plated, two with brake. Doors: Solid Durch doors fully insulated, double-panel construction. + Hinges: Self-closing, lift-off, double hinged, with long-life rylon bearings. • Gaskets: + High temperature, cabinet mounted, Santoprene gaskets. + Latches: Two chrome plated, high-strength magnetic pull latches with lever-action release. + Handles: Four built-in polymer handles. • Universal Sildies: Universal wire sidies; 1/4' diameter nickel chrome wire adjustable on 11 /2' increments. Type 304, stainless steel vertical uprights. • Display and Controls: Analog cabinet thermometer with independent thermostat control knob. • Heat Generation System: Thermostatically controlled 1950 Watt heating element. Ball bearing blower motor, and ducted air system. • Cord: 71	25	EACH	Brand Metro Model # C569- SDS-UA	\$3,850.00	\$96,250.00	
3	DLIW-PT-HD or approved equal. Provide 1 section pass-thru warmer with 4 half doors, Stainless Steel Interior and Exterior including doors, Stell-Contained Performance-Rated Heating System, 90°F to 180°F Temperature Range, Unique Air Flow Distribution Ducts, Top Mounted Heating Plenum "Plug" with Citculating Fan, 3" Non-CFC Polyurethane Foam Insulation, Smooth, Polished Chrome Workflow Door Handles, Cam-Action, Lift-Olf Hinges, Tray Sildes (9 top, 6 bottom), Stainless Steel Strip Heaters (Located at the Base of the Interior), Magnetic Snap-In Door Gasket, Cylinder Lock in Each Door, 6" Locking Casters, Self-Closing Doors, Automatic Interior Lighting, Electronic Controller w/Digital Display & Hi-Low Alarm, 26" wide, 83 ¼ Height. Unit shall come with 3 year parts and labor warranty.	25	EACH	Brand Continetal Model # DL1W- PT	\$7,300.00	\$182,500.00	
4	Cres for 2 compariment cook and note ratifice, whose manner nouncer to see 25-250 or approved equal. Provide 2 compariment Cook and Hold Cabinet with Solid state electronic controlled time and temperature. Outer body of 22 gauge stainless steel. Inher body, top and frame of 18 gauge stainless steel. Fiberglass insutation 1-1/2' in walls; 1' in door. Stainless steel informal frame; coved comers. Anti-microbial chrome plated latches. Separate themomenter for each compartment. Six (6) heated inner walls. Removable pan supports for (16 or 8) 18' x 26' pans spaced on 3' centers. Casters 5' modulus casters with brakes (2) swivel. (2) rigid. Delrin bearings. Load capacity 250 lbs. each. 6000 Walts, 208/240 Volts, 60 Hz., 3 Phase. Must have one unit available in-house for immediate delivery delined as within 10 business days of receipil of Purchase Order. 208V 3 Phase. Unit shall come with 2-Year Parts 1 / 1-Year Labor warranty and Lifetime warranty	5	EACH	Brand Cres Cor Model #1000- CH-SS-2DE3	\$9,150.00	\$45,750.00	
5	Södthäkhöl fiftigit stück etectric convection over, moder number KLES/105C or approved equal. Provide standard sized Energy Star compliant electric convection oven, 11kW high efficiency heating elements, standard depth. Single deck convection oven is 55° in height with legs and casters, Patented 'plug-in, plug-out' control panel, Side out control panel for full view servicing, Stainless Steel front, sides and top, Dependent 2-piece stainless steel glass doors (Full 180° opening). Energy saving high efficiency glass windows, Heat keeping dual door seal system, Coved, fastener-free, porcelain interior, Stay cool heavy duty door handle, Two speed, 1/2 hp, fan motor, 11- position rack guides and 5 plated oven racks. Solid state thermostat and 60 minute mechanical cook timer, Forced cool down fan mode, Oven 'heal' light cycles with burners, Two 40 watt interior high temperature recessed lamps, Manual reset high limit temperature control. Control Panel located on front, at right side of oven, away from heat zone, unit shall come installed with 26° Stainless steel, triangular legs with 6° locking casters. Unit shall have 3 year parts and labor warrants and 50 year door wagratsh. Plass quetas for 2018 units and abor warrants and 50 year door wagratsh. Plass quetas for 2018 units and abor warrants and self-self-self-self-self-self-self-self-	10-208V 10-480V	EACH	Brand South Bend Model # KLES/10SC Brand SB Model # KLES/10SC	\$ 3,500 \$ 3,800	\$ 35,000 \$ 38,000	
6	Southbend double stack electric convection oven. Model number KLES/20 or approved equal. Provide standard sized Energy Star compilant double stack electric convection oven. 1 1kW high elficiency heating elements, standard depth. Double deck convection oven is 64.8" in height with casters. Patentler fpulg-in, plug-out" control panel. Slide out control panel for full view servicing. Staintess Steet front, sides and top, Dependent 2-piece staintess steet glass doors (Full 180° opening), Energy saving high elfficiency glass windows, Heat keeping dual door seal system. Cowed, fastener-free, porcelain interior, Stay cool heavy duty door handle, Two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks, Solid state thermostat and 60 minute mechanical cook timer, Forced cool down fan mode, Oven "heat" light cycles with burmers. Two 40 wait Interior high temperature recessed lamps, Manual reset high limit temperature control. Control Panel located on front, at fight side of oven, away from heat zone, unit shall come installed with 6" locking casters. Unit shall southbend single stark gas convection oven. Model number KIGST/175C or	10-208V 10-480V	EACH	Brand SB Model #KLESA20CCH Brand SB Model # KLESA20CCH	\$7,000 \$7,700	\$70,000 \$77,000	
7	soutment single stack gas convection oven. Mode number KLGy17sC or approved equal. Provide standard sized Energy Star compliant single stack gas convection oven with 3 ft. ¼ inch quick-connect flex gas hose. Oven shall have patented, high efficiency, non-clog inshot burners, \$3,000 BTU (NAT or LP), standard depth single deck convection oven is \$7·12" in height with 6" casters, "plug-in, plug-out" control panel, easy to service side out control panel for full view servicing, staintess steel front, top and sides, dependent glass doors (Full 180" opening), energy saving high efficiency glass windows, heat keeping dual door seal system, coved, fastener-free, porcelain interior, stay cool heavy duty door handle, soft air, two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks, electronic ignition with solid state temperature controls, 140°F to 500°F solid state themostat and 60 minute mechanical cook timer. Forced cool down fan mode, oven "heat" light cycles with burners, interior oven lights, Unit shall have 3 years parts and labor warranty and 5 year door warranty. Unit shall come installed with 26" Stainless steel, triangular eas with 6" locking casters. Unit shall come with ¼ ioch, 3.11 nuick.	15	EACH	Brand Sothbend Model # KLGS/17SC	\$3,750.00	\$56,250.00	

	y ************************************		Fur	nishing and Delivering I	arge Kitchen Equipm	ent
	IFB No. 005-21 Buyer: Francince Morris Opening Date: 06/03/21 @ 2:00PM Number of IFB Mailed: Number of Responses Received: 7				Ashland Equipment a div of Singer Bidder #7	Ashland Equipment a div of Singer Bidder #7
8	southers double stack gas convection oven, whose humber Kuss/27st-or approved equal. Provide standard sized Energy Star compliant double stack gas convection ovens with 3 ft. ¼ inch quick-connect flex gas hose. Both compartments shall have patented, high efficiency, non-tolg inshot burners, 53,000 BTU (NAT or LP), standard depth single deck convection oven is 66.8" in height with 6" casters, "plug-in, plug-out" control panel, easy to service silde out control panel for full view servicing, stainless steel front, top and sides, dependent glass doors ("Full 180" opening), energy saving high efficiency glass windows, heat keeping dual door seal system, coved, fastener-free, porcelain interior, stay cool heavy duty door handle, soft air, two speed, 1/2 hp, fam motor, 11-position rack guides and 5 plated oven racks, electronic lignition with solid state temperature controls, 140"F to 500"F solid state thermostat and 60 minute mechanical cook timer. Forced cool down fam mode, oven "heat" light cycles with burners, interior oven lights, Unit shall have 3 years parts and labor warranty, unit shall have 3 years parts and labor warranty, unit shall have 3 years parts and labor warranty, Unit shall have 6 in the state of the process of the state of the states.	20	EACH	Brand SB Model # KGLS/27SC	\$7,500.00	\$150,000.00
9	Continential 34°s in 34 cuses discerned in the stock of t	25	EACH	Brand Continental Model # MC3- SS-S	\$2,875.00	\$71,875.00
10	evaporator. Model number MC3-55-0 or equal. Provide 34* dual access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless steel lids, door hinges, latches, with reinforced stainless steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cytinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty.	10	EACH	Brand Continental Model # MC3- SS-D	\$4,015.00	\$40,150.00
11	Continental 49" single access forced air milk cooler. Model number MC4- SS-5 or approved equal. Provide 49" single access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel extended and interior, heavy-duty stainless-steel lid, door hinges, tatches, with reinforced stainless steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R13-dar refrigerant, easily serviceable, bottom mounted compressor, and built- in, electric condensate evaporator. Cabinet shall consist of 2" high- density, non-CFC polyurelhane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with fulgital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flivo curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor. Continential 49" dual access forced air milk cooler with low profile	40	EACH	Brand Continental Model # MC4- SS-S	\$3,210.00	\$124,800.00
12	commentaria to the access force an influctorier with one promote equal. Provide 49 evaporator. Model munber MC4-5s-0 or approved equal. Provide 49 dual access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless-steel lids, door linges, latches, with reinforced stainless-steel lidor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2° high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5° swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alam, floor drain with connected floor drain hose, have a 10 tt. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year ands and labor warranty and a 5 year compressor warranty.	15	EACH	Brand Continental Model # MC4SS D	\$4,250.00	\$63,750.00
13	Continental 1 Section pass-thru rerigerator with half doors. Model number 1RNSSPTM or approved equal, Provide and install 1-section Energy Star qualified pass-thru refrigerator. Unit shall have stainless steel interior and extentor including doors, self-contained, performance-rated 'plug' refrigeration system, environmentally-sale R-290 refrigerant, top of cabinet refrigeration system accessibility, 3' non-CFC polyurethane foam insulation, smooth, polished chrome workflow door handles, cam-action, lift-off hinges, 11 tray slides per half section, automatic hot gas condensate evaporator, expansion valve system, magnetic snap-in door gasket, cylinder lock in each door, 5' casters, self-closing doors, LED interior lighting, electronic controller widigital display & Ht-Low alarm, 21 cutt, 26' wide, 38-34' in indeep, 82-1/4 in, high, 4 half doors, 10 ft attached cord with plug, Unit shall come with 3 year parts and labor warranty and 5 year compressor warranty.	10	EACH	Brand Continental Model # 1RNSSPTHD	\$6,420.00	\$64,200.00
14	Lontinental 7 section reach in retrigerator. Model number ZRMSS or approved equal. Provide and install 2-section Energy Star qualified 2 section reach in retrigerator with 2 full doors with condensate pan. Unit shall have stainless steel interior, exterior, and doors, Self-Contained, Performance-Rated *Plug* Retrigeration System, Environmentally-Safe R-290 retrigerant, top of cabinet retrigeration system accessibility, 3* Non-CFC Polyurethane Foram Insulation Smooth, Polished Chrome Workflow Door Handles, Cam-Action, Lift-Off Hinges, 6 Heavy-Duty, Epoxy-Coated Steel Shelves, Automatic, Electric Condensate Evaporator, Magnetic Snap-in Door Gaskets, Cylinder Lock in Each Door, 5* Casters, Self-Closing Doors, LED Interior Lighting, Electronic Controller wcDigital Display & Hi-Low Alarm, 48 cu. tt, 52* wide, 35-3/8 in. deep, 82-1/4 in. in height with 5* casters, 10 ft attached cord with plug. Unit shall come with 3 year parts and labor warraphy, and 5-year compressor warraphy.	60	EACH	Brand Continental Model # 2RNSS	\$5,330.00	\$319,800.00

		Furnishing and Delivering Large Kitchen Equipment					
	IFB No. 005-21 Buyer: Francince Morris Opening Date: 06/03/21 @ 2:00PM Number of IFB Mailed: Number of Responses Received: 7				Ashland Equipment a div of Singer Bidder #7	Ashland Equipment a div of Singer Bidder #7	
15	continental 2 section reactiff neezer, industriating equal. Provide and install 2 section Energy Star qualified 2 section reach in freezer with 2 full doors with condensate pan Unit must be NSF approved. Unit shall have two full size doors and a minimum net capacity of at least 46 cubic feet. The interior and exterior including the doors shall be stainless steel and will have polyurethane insutation throughout. Each door will have an integrated handle, spring assisted self-closing hinges. The unit shall have LED lighting with proximity door switches and 3 epoxy coated wire shelves per cabinet section. The retrigoration system shall be hermetically sealed, air cooled, and located on top of the cabinet. All condensate water will be disposed of with a non-electric condensate evaporator. Unit shall feature an LED temperature indicator an audio/visual alasms for temperature, power interruption, door ajar. Unit will go into energy saving mode when the doors have not been opened for four hours. Unit shall come mounted on 4" casters. Unit will come with a 3 year parts and labor warranty and	60	EACH	Brand Continental Model # 2F-SS	\$6,200.00	\$372,000.00	
16	infwanfur2*ConfibAnthin gas*Yeanife*. modernameur zscorrozes or approved equal. Unit shall be a two compartment gas steamer with SteamSaver™ Technology and Energy Star approved, Independent steam generators, 50,000 BTU's input per compartment. "SureCook electro mechanical timer with load compensating feature. Gas valve and water level control system. Exclusive remote probe-type water level control system. Exclusive remote probe-type water level controls. Exclusive Drain* "distribution system. Two-piece free-floating compartment door. Pullout service drawer for controls and Gemini Drain*Power Control System. Cooking Capacity for up to ten 12* x20* x 2 172* deep Hotel Pans, five each compartment. Cabinet exterior and cooking compartments shall be 14 gauge, 304 stailness steel. Unit shall come with quick-connect flex ½ inch, 3 ft. gas hose and water filtration system specific to water composition based on lest results conducted and provided by vendor. Lievalina*2*contp3**thin**1½c/tro**163**167***, **Modernams*2**24**24**24**100**100**100**100**100*	15	EACH	Brand Cleveland Model # 24CGA10.2ES	\$18,350.00	\$275,250.00	
17	approved equal. Unit shall be a two compartment floor model electric steamer with twin electric atmospheric steam generator, 32 KW input. Remote probe type water level controls Steam generator with automatic water little on start-up. Automatic generator blowdown, 2 each 16.5 KW lite bar heating elements. Cold water condenser design. Unit must distribute steam through high velocity jets without using fans. Cabinet extenior and cooking compartments shall be Type 430 stainless steel. Unit shall come with water filtration system specific to water composition based on test results conducted and provided by vendor. Unit will come with 2 year parts and labor warranty. Please	10-208V 10-480V	EACH	Brand Cleveland Model # 24CEA10 Brand Cleveland Model # 24CEA10	\$ 15,500 \$ 15,875	\$ 155,000 \$ 158,750	
18	RYNGh.TrcdRhvinki.nb.Yax - axivide200x "Weight National Para Coulified combination convection oven / steamer with simple to operate programmable controls for Hot Air, Convection Steam, and Combination cooking modes, slow cooking capabilities, multiple cooking stage programs, stored recipe library, multipoint core temperature probe, one step recipe start buttons, smart key for selecting option settings. Five speed auto reversing convection fan. Delta T cooking. Quiet high efficiency power burner heating system; door with antibacterial hygienic door handle. Must have the capacity to hold up to ten 12" x 20" x 2 %" pans. Unit shall come with hands free automatic compartment washing system; stand, provided water litiration system specific to water composition based on test results conducted by vendor, x in, 31. quick connect flox gas hose, 10 wire racks, and sheel tray adapter bar. WiFi diagnostic capability. Unit will	15	EACH	Brand Rational Model # ICP 10 FULL NG 208/240V	\$20,500.00	\$307,500.00	
19	Rational combination electric convection overlysteamer. Model number SCC-102-E or approved equal. Unit shall be an Energy Star Qualified combination convection over. I staemer with simple to operate programmable controls for Hot Air, Convection Steam, and Combination cooking modes, slow cooking capabilities, Multiple cooking stage programs, stored recipe library, multipoint core temperature probe, one step recipe start buttons, smart key for selecting option settings. Five speed auto reversing convection fan. Delfa T cooking, Quiet high efficiency power burner heating system; door with antibacterial hygienic door handle. Must have the capacity to hold up to ten 12" x20" x 2" yeans. Unit shall come with hands free automatic compartment washing system, stand, provided water littration system specific to water composition based on test results conducted by vendor, at least 10 wire racks, and sheet tray adapter bar. Wif-i diagnostic capability. Unit will come with 2 parts and labor	5-208V 5-480V	EACH	Brand Rational Model # 208/240V Brand Rational Model # 480V/3PH	\$ 17,000 \$ 17,000	\$ 85,000 \$ 85,000	
20	warrantv and 5 vear generator warrantv. Please auote for 208 volt 3 Garland heavy duty electric range. Model munber 35E or approved equal.Unit be a heavy duty electric range with boiling plate top. Top will consist of two 18" boiling plates with four heat zones, each controlled by three-heat switch. Full Sized oven is controlled by a heavy duty electromechanical thermostat. Oven interior shall be approximately 13" high x 26" wide x 29" deep with removable four-position chrome plated rack guides and one oven rack, front and rear stainless steel grease troughs. Oven body will have stainless steel front and sides. Unit shall have four polyurethane swivel casters with front brakes. Manufacturer training (repair and maintenance) provided for County equipment maintenance employees. Must have one unit available in-house for immediate delivery defined as within 72 hours of receipt of Purchase Order. Unit will come with 2 year parts and labor warranty	4-208V 4-480V	EACH	Brand Garland Model # 36ER32 Brand Garland Model #36ER32	\$9,850 \$10,357	\$ 39,400 \$ 41,428	
21	Southbend heavy duty open burner gas range. Model number S24C or approved equal. The unit shall be a 24-3/8" wide restaurant style range with four (4) 28.000 BTU NAT (24.000 BTU LP) open-10p burners with four (4) removable cast iron grate tops. The exterior of the unit shall be constructed of stalniess steel and have a 4" stainless steel front rail with closed, welded end caps. The unit shall have 6" casters. The unit shall come with a 10" high stainless-steel flue riser. The unit shall come with a 10" high stainless-steel flue riser. The unit shall come with a factory installed regulator and 34" 3 ft. quick disconnect flexible gas hose. The unit shall come with an alturnized cabinet base with doors. Must have one unit available in-house for immediate delivery defined as within 72 hours of receipt of Purchase Order. Unit will come with 2 year parts and labor warranty	8	EACH	Brand Southbend Model # S24C	\$1,755.00	\$14,040.00	
22	Cinevaland 25 gallon gas steam jacketed kettle. Model number KGL-25 or approved equal. Provide self-contained, stationary, 25 gallons, natural gas, 2/3 Steam Jacketed Kettle, Type 304 Stainless Steel and supports. Jacket rated at 50psi with Safety Valve. Complete with Splash-Proof' Solid-State Water Level, Temperature, and Safety Low Water Power Cut-Off, including L.E.D. Indicators for Heat Cycle and Low Water Warning, Self-contained gas stationary kettle is easily installed, only needs a gas connection and a 115 volt outlet. Precise, consistent temperature control, less than 1°C temperature variance. Operating temperature range from 145°-260°F (63°C-127°C), Power On/Off' Switch. 90,000 BTU firing rate and 58,500 BTU directly applied to the product. Supplied with Gas Pressure Regulator. Heavy-duty Rolled Rim design provides strong reinforcement, prevents damages from abuse. Splash-Proof' rear-mounted pressure/vacuum gauge. Steam jacket permanently filled with treated distilled water; ventling and/or refilling is not required. Automatic Electronic Spark (gnition System. Unit shall come with cord and plug for 115 volt controls, Support Legs with level adjustable feet, llanged for floor bolting, Spring Assist Cover and 2° tangent draw-off are standard. Unit shall come with cold water fauced, 36° kettle paddle, and 3° 4° FT. quick disconnect flexible gas hose. Unit shall come with 2 year parts	20	EACH	Brand Cleveland Model # KGL25	\$12,475.00	\$249,500.00	

	IFB No. 005-21 Buyer: Francine: Morris Opening Date: 06/03/21 @ 2:00PM Number of IFB Mailed: Number of Responses Received: 7				Ashland Equipment a div of Singer Bidder #7	Ashland Equipment a div of Singer Bidder #7
23	Cleveland 25 gallon electric steam jacketed kettle. Model number KEt-25 or approved egual. Provide Electric Kettle, Th-leg mounted, self-contained, stationary, Model 25 gallon, 29 Steam Jacketed. Type 304 Stainless Steel Kettle and Supports. Rated 50 psi with Safety Valve; Permanently filled Treated Water Steam Jacket. Spring-assisted Domed Cover. Splash Proof Solid State Temperature (±1° C) and Safety Control System in plug-in Module including Heat Cycle and Low Water L.E.D. indicators. Power ON/OFF Switch, Adjustable Temperature Control Dial, Operating temperature range from 145° - 260°F (63°C - 127°C) Base Mounted for Floor Bolting with three (3), tri-bolt lianges. 2° diameter Tangent Draw-off Valve. Self-contained, easily installed - needs only an electrical hook-up. Unit shall come with cold water faucet, 36° kettle paddle, and 2 year parts and labor warrantly. Please under for 288 worls abnase and 480 volt 3 abnase units.	10-208V 10-480V	EACH	Brand Cleveland Model # KEL-25 Brand Cleveland Model # KEL-25	\$11,300 \$12,000	\$113,000 \$120,000
24	Advance Tabco stainless steel work table. Model number SS-306 or x approved equal. Provide fully assembled work table, $72^{\circ}L \times 30^{\circ}W \times 34H^{\circ}W$ by the Hight, 14 gauge 304 stainless steel flat top with bull nose edge, 18 gauge stainless steel undershell installed 10° above the floor, stainless steel logs & adjustable bullet feet, NSF, two year warranty.	40	EACH	Brand Advance Model # SS-306	\$900.00	\$36,000.00
Total						\$2,489,515.00