



## PURCHASING AND SUPPLY SERVICES

Keith Stewart, Director | keith.stewart@pgcps.org  
13300 Old Marlboro Pike | Upper Marlboro, MD 20772 | 301-952-6560

### CONTRACT AMENDMENT

October 11, 2022

**Ashland Equipment a Division of Singer MD, LLC.**  
1324 Brass Mill Road  
Belcamp. MD 21017  
Tel No.: 410.273.1856  
Email: [arenaldo@singerequipment.com](mailto:arenaldo@singerequipment.com)

**Donna Parks/DF**  
Telephone: 301.952.6567  
Fax: 301.952.6605  
Email: [donna.parks@pgcps.org](mailto:donna.parks@pgcps.org)

**Subject: IFB: 005-21 Furnish and Deliver Largo Kitchen Equipment.**

This Contract Amendment (the "Contract Amendment") is made by the Board of Education of Prince George's County and **Ashland Equipment a Division of Singer MD, LLC.** to the Agreement dated September 01, 2021 the "Agreement").

1. The purpose of the Contract Amendment is to:
  - A. Incorporate mandatory Covid-19 vaccination verification and weekly Covid-19 testing requirements for contractors, vendors, volunteers, interns, and any other non-PGCPS employee who is doing any work or providing services on-site at a PGCPS office or school. See Attachment A for Covid-19 mandatory requirements.
  - B. Exercise the renewal option for one year under the contract renewal term from the signature date **through August 31, 2023.**
  - C. Attachment B incorporate unprecedented manufactures price increases due to an escalation in metals, components and transportation cost.
2. Except as set forth in this Contract Amendment, the Agreement is unaffected and shall continue in full force and effect in accordance with the terms set forth in the original agreement renewal term.

Ashland Equipment a Division of Singer MD, LLC.

IFB: 005-21

Contract Amendment No. 1

In Witness Whereof, the undersigned agree to be bound by the terms and conditions set forth in this Contract Amendment to the Contract Award.

ACCEPTED BY:

FOR THE FIRM:

 10.12.22

SIGNATURE

DATE

Todd Schaeffer

NAME


VP / GM

TITLE

SINGER MD LLC

FIRM

FOR THE BOARD OF EDUCATION:

 Oct 13, 2022

[keith.stewart@pgcps.org](mailto:keith.stewart@pgcps.org) [keith.stewart@pgcps.org](mailto:keith.stewart@pgcps.org) (Oct 13, 2022 12:31 EDT)

SIGNATURE

DATE

Keith Stewart

NAME:

Director, Purchasing &amp; Supply Services

TITLE

FOR THE BOARD OF EDUCATION  
OF PRINCE GEORGE'S COUNTY  
UPPER MARLBORO, MARYLAND 20772

Ashland Equipment a Division of Singer MD, LLC.

IFB: 005-21

Contract Amendment No. 1

## ATTACHMENT A

**MANDATORY COVID 19: VACCINE AND TESTING REQUIREMENTS  
AND ON-SITE PROGRAMMING BY NON-PGCPS EMPLOYEES**

**WHEREAS**, the Parties desire to incorporate the terms of policy into the aforementioned Contract in order to document expectations of Respondent/Vendor/Contractor/Partner's staff regarding Covid-19 vaccination and testing mandates for PGCPS.

**NOW THEREFORE, THIS CONTRACT AMENDMENT WITNESSETH THAT**, in consideration of the mutual promises and covenants herein contained and for other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the parties agree as follows:

**A. COVID-19: VACCINE AND TESTING REQUIREMENTS AND ON-SITE PROGRAMMING BY NON-PGCPS EMPLOYEES**

Effective September 13, 2021, or at any time during the term of this Contract in which services commence by any intern, volunteer, vendor, contractor or employee of Partner (referred to herein as "Partner's staff"), PGCPS will require proof of vaccination against Covid-19 or weekly proof of a negative Covid-19 test [with results obtained within seventy-two (72) hours] each Monday for unvaccinated Partner's staff who are providing services on-site at a PGCPS facility.

1. Unless otherwise stated and to the extent possible, Partner's services shall be rendered virtually during the term of this Contract or until such time that PGCPS authorizes in-person services by Partner.
2. In the event Partner's services must be provided at a PGCPS site (not virtually):
  - a. Partner's staff shall be required to provide confirmation of vaccination to the designated PGCPS Point of Contact (i.e. principal/designee or responsible department/office representative) who is responsible for ensuring that the scope of services are completed.
  - b. Partner's staff shall be required to submit a list or other documentation of all Partner's staff who are vaccinated prior to the initiation of services. During the term of the Contract, Partner shall be responsible for supplementing this list for any new Partner staff assigned to provide services under this Contract prior to the Partner's staff's start date of services.
  - c. Unvaccinated, staff providing services at a PGCPS site must present proof of a negative Covid-19 test taken within seventy-two (72) hours to the designated PGCPS Point of Contact (i.e. principal/designee or responsible department/office representative) who is responsible for ensuring that the scope of services are completed. Contractor shall be responsible for providing results from pharmacies and labs that are accredited to administer Covid-19 testing. Results obtained from home Covid-19 testing kits will not be accepted and shall not meet the requirements of this Contract.
  - d. Partner shall be required to submit a list or other documentation of all Partner's staff who tested negative by the close of business each Monday. If Monday is a holiday, then the list or other documentation must be submitted on the next day in which schools are open by close of business. This requirement shall continue *each week during the term of this Contract*.
  - e. PGCPS will not be responsible for testing Partner's staff. Failure to provide proof of negative results will bar Partner's staff from providing in-person services at a PGCPS site until such time as the information is presented.

Ashland Equipment a Division of Singer MD, LLC.

IFB: 005-21

Contract Amendment No. 1

3. Partner shall inform its PGCPs Point of Contact via phone call or email immediately upon being informed that any of its staff are unavailable to provide onsite services for any day(s) in which they are unable to present a negative Covid-19 test.
  4. In the event a non-PGCPs staff tests positive for Covid-19, Partner shall inform the PGCPs Point of Contact immediately but no later than 24 hours after receiving notification of a positive Covid-19 test from the non-PGCPs employee.
- B. The Parties agree that all other terms and conditions of the Agreement shall remain in full force and effect and shall only be amended in writing, signed by both parties.

Ashland Equipment a Division of Singer MD, LLC.

IFB: 005-21

Contract Amendment No. 1

Attachment B

Contract Price

ITEM NUMBER	IFB: 005-21 Ashland Equipment a Div. of Singer MD, LLC	ITEM DESCRIPTION	ESTIMATED ANNUAL QUANTITIES	UOM	Proposed Brand and Model Number	ORIGINAL CONTRACT UNIT PRICE	NEW UNIT PRICE	ADJUSTMENT	Percentage
1		Lakeside utility cart. Model number 543 or approved equal. Unit will have 2 shelves at least 21" x 33" in size and shall be of fully welded 18 gauge stainless steel construction. Unit will hold loads up to 700 pounds. Unit will have bumpers mounted to handle ends and front legs. Unit will have four (4) 5 inch non-marking polyurethane swivel casters with two (2) being locking casters. Unit will come fully assembled.	20	EACH	Brand _____ Model # _____	\$995.00	\$1,095.00	\$	10%
2		Metro heated cabinet. Model number C569-SDS-UA or approved equal. Provide heated cabinet with top-mounted Controls. Cabinet Material: Type 304 stainless steel; 20-gauge polished exterior; 22-gauge interior. • Insulation: Full perimeter, 2.5" thick, high-density fiberglass. R Value=9 • Casters: Four casters with 6" donut neoprene wheel, double ball bearing swivel, ball bearing axle, nickel plated, two with brake. Doors: Solid Dutch doors fully insulated, double-panel construction. • Hinges: Self-closing, lift-off, double hinged, with long-life nylon bearings. • Gaskets: High temperature, cabinet mounted, Santoprene gaskets. • Latches: Two chrome plated, high-strength magnetic pull latches with lever-action release. • Handles: Four built-in polymer handles. • Universal Slides: Universal wire slides; 1/4" diameter nickel chrome wire adjustable on 1/2" increments. Type 304, stainless steel vertical uprights. • Display and Controls: Analog cabinet thermometer with independent thermostat control knob. • Heat Generation System: Thermostatically controlled 1950 Watt heating element, ball bearing blower motor, and ducted air system. • Cord: 71/2' cord with NEMA 5-20P plug. Cord mounted on top • Thermal Performance: 200° F maximum temperature. Unit shall come with 2-year parts and labor warranty. Unit shall be ENERGY STAR compliant	25	EACH	Brand _____ Model # _____	\$3,850.00	\$4,575.00	\$	8% then 10%
3		Continental 1 section pass-thru warmer with half doors. Model number DL1W-PT-HD or approved equal. Provide 1 section pass-thru warmer with 4 half doors, Stainless Steel Interior and Exterior including doors, Self-Contained Performance-Rated Heating System, 90°F to 180°F Temperature Range, Unique Air Flow Distribution Ducts, Top Mounted Heating Plenum "Plug" with Circulating Fan, 3" Non-CFC Polyurethane Foam Insulation, Smooth, Polished Chrome Workflow Door Handles, Cam-Action, Lift-Off Hinges, Tray Slides (9 top, 6 bottom), Stainless Steel Strip Heaters (Located at the Base of the Interior), Magnetic Snap-In Door Gasket, Cylinder Lock in Each Door, 6" Locking Casters, Self-Closing Doors, Automatic Interior Lighting, Electronic Controller w/Digital Display & Hi-Low Alarm, 26" wide, 83 1/4 Height. Unit shall come with 3 year parts and labor warranty.	25	EACH	Brand _____ Model # _____	\$7,300.00	\$9,533.00	\$	6% then 10% then 12%

4	<p><b>Cres Cor 2 compartment cook and hold cabinet. Model number 1000-CH-SS-2DE or approved equal. Provide 2 compartment Cook and Hold Cabinet with Solid state electronic controlled time and temperature. Outer body of 22 gauge stainless steel. Inner body, top and frame of 18 gauge stainless steel. Fiberglass insulation 1-1/2" in walls; 1" in door. Stainless steel internal frame; coved corners. Anti-microbial chrome plated latches. Separate thermometer for each compartment. Six (6) heated inner walls. Removable pan supports for (16 or 8) 18" x 26" pans spaced on 3" centers. Casters 5" modulus casters with brakes (2) swivel, (2) rigid, Delrin bearings. Load capacity 250 lbs. each. 6000 Watts, 208/240 Volts, 60 Hz., 3 Phase. Must have one unit available in-house for immediate delivery defined as within 10 business days of receipt of Purchase Order. 208V 3 Phase. Unit shall come with 2-Year Parts / 1-Year Labor warranty and Lifetime warranty on heating elements.</b></p>	5	EACH	Brand _____ Model # _____	\$9,150.00	\$9,150.00	No change
5	<p><b>Southbend single stack electric convection oven. Model number KLES/10SC or approved equal. Provide standard sized Energy Star compliant electric convection oven, 11kW high efficiency heating elements, standard depth. Single deck convection oven is 55" in height with legs and casters, Patented "plug-in, plug-out" control panel, Slide out control panel for full view servicing, Stainless Steel front, sides and top, Dependent 2-piece stainless steel glass doors (Full 180° opening), Energy saving high efficiency glass windows, Heat keeping dual door seal system, Coved, fastener-free, porcelain interior, Stay cool heavy duty door handle, Two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks, Solid state thermostat and 60 minute mechanical cook timer, Forced cool down fan mode, Oven "heat" light cycles with burners, Two 40 watt interior high temperature recessed lamps, Manual reset high limit temperature control, Control Panel located on front, at right side of oven, away from heat zone, unit shall come installed with 26" Stainless steel, triangular legs with 6" locking</b></p>	~208V 10-480V	EACH	Brand _____ Model # _____ Brand _____ Model # _____	3500 FOR 208V and 3850 for 480V	\$3675 for 208V \$4045 for 480V	5% then 20% then 20%
6	<p><b>Southbend double stack electric convection oven. Model number KLES/20C or approved equal. Provide standard sized Energy Star compliant double stack electric convection oven, 11kW high efficiency heating elements, standard depth. Double deck convection oven is 64.8" in height with casters, Patented "plug-in, plug-out" control panel, Slide out control panel for full view servicing, Stainless Steel front, sides and top, Dependent 2-piece stainless steel glass doors (Full 180° opening), Energy saving high efficiency glass windows, Heat keeping dual door seal system, Coved, fastener-free, porcelain interior, Stay cool heavy duty door handle, Two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks, Solid state thermostat and 60 minute mechanical cook timer, Forced cool down fan mode, Oven "heat" light cycles with burners, Two 40 watt interior high temperature recessed lamps, Manual reset high limit temperature control, Control Panel located on front, at right side of oven, away from heat zone, unit shall come installed with 6" locking casters. Unit shall have 3 year parts and labor warranty and 5 year door warranty. <b>Please quote for 208 volt 3 phase and 480 volt 3 phase units.</b></b></p>	~208V 10-480V	EACH	Brand _____ Model # _____ Brand _____ Model # _____	7000 FOR 208V and 7700 for 480V	\$7350 for 208V \$8085 for 480V	5% then 20% then 20%

7	<p><b>Southbend single stack gas convection oven. Model number KLGS/17SC or approved equal.</b> Provide standard sized Energy Star compliant single stack gas convection oven with 3 ft. ¾ inch quick-connect flex gas hose. Oven shall have patented, high efficiency, non-clog Inshot burners, 53,000 BTU (NAT or LP), standard depth single deck convection oven is 57-1/2" in height with 6" casters, "plug-in, plug-out" control panel, easy to service slide out control panel for full view servicing, stainless steel front, top and sides, dependent glass doors (Full 180° opening), energy saving high efficiency glass windows, heat keeping dual door seal system, coved, fastener-free, porcelain interior, stay cool heavy duty door handle, soft air, two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks, electronic ignition with solid state temperature controls, 140°F to 500°F solid state thermostat and 60 minute mechanical cook timer. Forced cool down fan mode, oven "heat" light cycles with burners, interior oven lights, Unit shall have 3 years parts and labor warranty and 5 year door warranty, Unit shall come installed with 26" Stainless steel, triangular legs with 6" locking casters. Unit shall come with ¾ inch, 3 ft. quick disconnect flexible gas hose.</p>	15	EACH	Brand _____ Model # _____	\$3,750.00	\$3,945.00	5% then 20% then 20%
8	<p><b>Southbend double stack gas convection oven. Model number KLGS/27SC or approved equal.</b> Provide standard sized Energy Star compliant double stack gas convection ovens with 3 ft. ¾ inch quick-connect flex gas hose. Both compartments shall have patented, high efficiency, non-clog Inshot burners, 53,000 BTU (NAT or LP), standard depth single deck convection oven is 66.8" in height with 6" casters, "plug-in, plug-out" control panel, easy to service slide out control panel for full view servicing, stainless steel front, top and sides, dependent glass doors (Full 180° opening), energy saving high efficiency glass windows, heat keeping dual door seal system, coved, fastener-free, porcelain interior, stay cool heavy duty door handle, soft air, two speed, 1/2 hp, fan motor, 11-position rack guides and 5 plated oven racks, electronic ignition with solid state temperature controls, 140°F to 500°F solid state thermostat and 60 minute mechanical cook timer. Forced cool down fan mode, oven "heat" light cycles with burners, interior oven lights, Unit shall have 3 years parts and labor warranty and 5 year door warranty, Unit shall come installed with 6" locking casters. Unit shall come with ¾ inch, 3 ft. quick disconnect flexible gas hose for each unit</p>	20	EACH	Brand _____ Model # _____	\$7,500.00	\$7,875.00	5% then 20% then 20%



9	<p><b>Continental 34" single access forced air milk cooler. Model number MC3-SS-S or approved equal.</b> Provide 34" single access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless-steel lid, door hinges, latches, with reinforced stainless-steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty</p>	25	EACH		Brand _____ Model # _____	\$2,875.00	\$3,754.00	\$	6% then 10% then 12%
10	<p><b>Continental 34" dual access forced air milk cooler with low profile evaporator. Model number MC3-SS-D or equal.</b> Provide 34" dual access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless steel lids, door hinges, latches, with reinforced stainless steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty</p>	10	EACH		Brand _____ Model # _____	\$4,015.00	\$5,243.00	\$	6% then 10% then 12%

11	<p><b>Continental 49" single access forced air milk cooler. Model number MC4-SS-S or approved equal.</b> Provide 49" single access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless-steel lid, door hinges, latches, with reinforced stainless steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty</p>	40	EACH	Brand _____ Model # _____	\$3,210.00	\$4,192.00	\$	6% then 10% then 12%
12	<p><b>Continental 49" dual access forced air milk cooler with low profile evaporator. Model number MC4-SS-D or approved equal.</b> Provide 49" dual access, forced air milk cooler. Unit must NSF approved. Milk Cooler shall have stainless steel exterior and interior, heavy-duty stainless-steel lids, door hinges, latches, with reinforced stainless-steel floor. Unit shall come with forced air, performance-rated refrigeration system, environmentally-safe R134a refrigerant, easily serviceable, bottom mounted compressor, and built-in, electric condensate evaporator. Cabinet shall consist of 2" high-density, non-CFC polyurethane foamed-in place insulation, snap-in door and lid gasket, non-corrosive, heavy-duty, epoxy-coated steel wire floor racks, door cylinder security lock, and 5" swivel caster with front locking brakes. Unit shall have electronic controller with digital display and hi-low alarm, floor drain with connected floor drain hose, have a 10 ft. long cord with plug, and unique forced air flow curtain. Unit will come with a 3 year parts and labor warranty and a 5 year compressor warranty</p>	15	EACH	Brand _____ Model # _____	\$4,250.00	\$5,550.00	\$	6% then 10% then 12%
13	<p><b>Continental 1 Section pass-thru refrigerator with half doors. Model number 1RNSPTHD or approved equal.</b> Provide and install 1-section Energy Star qualified pass-thru refrigerator. Unit shall have stainless steel interior and exterior including doors, self-contained, performance-rated "plug" refrigeration system, environmentally-safe R-290 refrigerant, top of cabinet refrigeration system accessibility, 3" non-CFC polyurethane foam insulation, smooth, polished chrome workflow door handles, cam-action, lift-off hinges, 11 tray slides per half section, automatic hot gas condensate evaporator, expansion valve system, magnetic snap-in door gasket, cylinder lock in each door, 5" casters, self-closing doors, LED interior lighting, electronic controller w/digital display &amp; Hi-Low alarm, 21 cu.ft, 26" wide, 38-3/4 in. deep, 82-1/4 in. high, 4 half doors, 10 ft attached cord with plug. Unit shall come with 3 year parts and labor warranty and 5 year compressor warranty.</p>	10	EACH	Brand _____ Model # _____	\$6,420.00	\$8,384.00	\$	6% then 10% then 12%

14	<p><b>Continental 2 section reach in refrigerator. Model number 2RNSS or approved equal.</b> Provide and install 2-section Energy Star qualified 2 section reach in refrigerator with 2 full doors with condensate pan. Unit shall have stainless steel interior, exterior, and doors, Self-Contained, Performance-Rated "Plug" Refrigeration System, Environmentally-Safe R-290 refrigerant, top of cabinet refrigeration system accessibility, 3" Non-CFC Polyurethane Foam Insulation Smooth, Polished Chrome Workflow Door Handles, Cam-Action, Lift-Off Hinges, 6 Heavy-Duty, Epoxy-Coated Steel Shelves, Automatic, Electric Condensate Evaporator, Magnetic Snap-In Door Gaskets, Cylinder Lock in Each Door, 5" Casters, Self-Closing Doors, LED Interior Lighting, Electronic Controller w/Digital Display &amp; Hi-Low Alarm, 48 cu. ft. 52" wide, 35-3/8 in. deep, 82-1/4 in. in height with 5" casters, 10 ft attached cord with plug, Unit shall come with 3 year parts and labor warranty and 5 year compressor warranty.</p>	60	EACH	Brand _____ Model # _____	\$5,330.00	\$6,960.00	\$	6% then 10% then 12%
15	<p><b>Continental 2 section reach in freezer. Model number 2F-SS or approved equal.</b> Provide and install 2-section Energy Star qualified 2 section reach in freezer with 2 full doors with condensate pan Unit must be NSF approved. Unit shall have two full size doors and a minimum net capacity of at least 46 cubic feet. The interior and exterior including the doors shall be stainless steel and will have polyurethane insulation throughout. Each door will have an integrated handle, spring assisted self-closing hinges. The unit shall have LED lighting with proximity door switches and 3 epoxy coated wire shelves per cabinet section. The refrigeration system shall be hermetically sealed, air cooled, and located on top of the cabinet. All condensate water will be disposed of with a non-electric condensate evaporator. Unit shall feature an LED temperature indicator an audio/visual alarms for temperature, power interruption, door ajar. Unit will go into energy saving mode when the doors have not been opened for four hours. Unit shall come mounted on 4" casters. Unit will come with a 3 year parts and labor warranty and a 5 year warranty for the compressor</p>	60	EACH	Brand _____ Model # _____	\$6,200.00	\$8,097.00	\$	6% then 10% then 12%

16	<p>Cleveland 2 compartment gas steamer. Model number 25CGA10.2ES or approved equal. Unit shall be a two compartment gas steamer with SteamSaver™ Technology and Energy Star approved, Independent steam generators, 50,000 BTU's input per compartment. "SureCook" electro mechanical timer with load compensating feature. Gas valve and water level control system. Exclusive remote probe-type water level controls. Exclusive Brass "Steam Jet" distribution system. Two-piece free-floating compartment door. Pullout service drawer for controls and Gemini Drain/Power Control System. Cooking Capacity for up to ten 12" x 20" x 2 1/2" deep Hotel Pans, five each compartment. Cabinet exterior and cooking compartments shall be 14 gauge, 304 stainless steel. Unit shall come with quick-connect flex ¾ inch, 3 ft. gas hose and water filtration system specific to water composition based on test results conducted and provided by vendor. Unit will come with at least 2 year parts and labor warranty</p>	15	EACH	Brand _____ Model # _____	\$18,350.00	\$26,388.00	\$	7% then 12% then 20%
17	<p>Cleveland 2 compartment electric steamer. Model number 24CEA10 or approved equal. Unit shall be a two compartment floor model electric steamer with twin electric atmospheric steam generator, 32 KW input. Remote probe type water level controls Steam generator with automatic water fill on start-up. Automatic generator blowdown, 2 each 16.5 KW fire bar heating elements. Cold water condenser design. Unit must distribute steam through high velocity jets without using fans. Cabinet exterior and cooking compartments shall be Type 430 stainless steel. Unit shall come with water filtration system specific to water composition based on test results conducted and provided by vendor. Unit will come with 2 year parts and labor warranty. Please quote for 208 volt 3 phase and 480 volt 3 phase units.</p>	~208V 10-480V	EACH	Brand _____ Cleveland as fied 208V - \$22,290 Brand _____ Cleveland as specified 208V - \$22,829	15500 FOR 208V and 15875 for 480V	see left in red	\$ \$ \$	7% then 12% then 20%
18	<p>Rational combination gas convection oven/steamer. Model number SCC-102-G or approved equal. Unit shall be an Energy Star Qualified combination convection oven / steamer with simple to operate programmable controls for Hot Air, Convection Steam, and Combination cooking modes, slow cooking capabilities, multiple cooking stage programs, stored recipe library, multipoint core temperature probe, one step recipe start buttons, smart key for selecting option settings. Five speed auto reversing convection fan. Delta T cooking. Quiet high efficiency power burner heating system; door with antibacterial hygienic door handle. Must have the capacity to hold up to ten 12" x 20" x 2 ½" pans. Unit shall come with hands free automatic compartment washing system, stand, provided water filtration system specific to water composition based on test results conducted by vendor, ¾ in, 3 ft. quick connect flex gas hose, 10 wire racks, and sheet tray adapter bar. WiFi diagnostic capability. Unit will come with 2 year parts and labor warranty and 5 year generator warranty</p>	15	EACH	Brand _____ Model # _____	\$20,500.00	\$23,686.00	\$	9% then 6%

19	<p><b>Rational combination electric convection oven/steamer. Model number SCC-102-E or approved equal.</b> Unit shall be an Energy Star Qualified combination convection oven / steamer with simple to operate programmable controls for Hot Air, Convection Steam, and Combination cooking modes, slow cooking capabilities, Multiple cooking stage programs, stored recipe library, multipoint core temperature probe, one step recipe start buttons, smart key for selecting option settings. Five speed auto reversing convection fan. Delta T cooking, Quiet high efficiency power burner heating system; door with antibacterial hygienic door handle. Must have the capacity to hold up to ten 12" x 20" x 2 ½" pans. Unit shall come with hands free automatic compartment washing system, stand, provided water filtration system specific to water composition based on test results conducted by vendor, at least 10 wire racks, and sheet tray adapter bar. WiFi diagnostic capability. Unit will come with 2 parts and labor warranty and 5 year generator warranty. <b>Please quote for 208 volt 3 phase and 480 volt 3 phase units.</b></p>	5-208V 5-480V	EACH	Brand _____ # _____ Brand _____ Model # _____	\$17,000.00	\$19,642.00	\$ _____ \$ _____	9% then 6%
20	<p><b>Garland heavy duty electric range . Model munber 36E or approved equal.</b>Unit be a heavy duty electric range with boiling plate top. Top will consist of two 18" boiling plates with four heat zones, each controlled by three-heat switch. Full Sized oven is controlled by a heavy duty electromechanical thermostat. Oven interior shall be approximately 13" high x 26" wide x 29" deep with removable four-position chrome plated rack guides and one oven rack, front and rear stainless steel grease troughs. Oven body will have stainless steel front and sides. Unit shall have four polyurethane swivel casters with front brakes. Manufacturer training (repair and maintenance) provided for County equipment maintenance employees. Must have one unit available in-house for immediate delivery defined as within 72 hours of receipt of Purchase Order. Unit will come with 2 year parts and labor warranty</p>	5-208V 4-480V	EACH	Brand _____ # _____ Brand _____ Model # _____	\$10,357.00	\$13,238.00	\$ _____ \$ _____	12% then 20%
21	<p><b>Southbend heavy duty open burner gas range. Model number S24C or approved equal.</b> The unit shall be a 24-3/8" wide restaurant style range with four (4) 28,000 BTU NAT (24,000 BTU LP) open-top burners with four (4) removable cast iron grate tops. The exterior of the unit shall be constructed of stainless steel and have a 4" stainless steel front rail with closed, welded end caps. The unit shall have 6" casters. The unit shall come with a 10" high stainless-steel flue riser. The unit shall come with a factory installed regulator and ¾" 3 ft. quick disconnect flexible gas hose. The unit shall come with an aluminum cabinet base with doors. Must have one unit available in-house for immediate delivery defined as within 72 hours of receipt of Purchase Order. Unit will come with 2 year parts and labor warranty</p>	8	EACH	Brand _____ Model # _____	\$1,755.00	\$2,653.00	\$ _____	5% then 20% then 20%

22	<p><b>Cleveland 25 gallon gas steam jacketed kettle. Model number KGL-25 or approved equal.</b> Provide self-contained, stationary, 25 gallons, natural gas, 2/3 Steam Jacketed Kettle, Type 304 Stainless Steel and supports. Jacket rated at 50psi with Safety Valve. Complete with "Splash-Proof" Solid-State Water Level, Temperature, and Safety Low Water Power Cut-Off, including L.E.D. Indicators for Heat Cycle and Low Water Warning. Self-contained gas stationary kettle is easily installed, only needs a gas connection and a 115 volt outlet. Precise, consistent temperature control, less than 1°C temperature variance. Operating temperature range from 145°F-260°F (63°C-127°C), Power On/Off" Switch. 90,000 BTU firing rate and 58,500 BTU directly applied to the product. Supplied with Gas Pressure Regulator. Heavy-duty Rolled Rim design provides strong reinforcement, prevents damages from abuse. "Splash-Proof" rear-mounted pressure/vacuum gauge. Steam jacket permanently filled with treated distilled water; venting and/or refilling is not required. Automatic Electronic Spark Ignition System. Unit shall come with cord and plug for 115 volt controls, Support Legs with level adjustable feet, flanged for floor bolting, Spring Assist Cover and 2" tangent draw-off are standard. Unit shall come with cold water faucet, 36" kettle paddle, and ¾" 4 FT. quick disconnect flexible gas hose. Unit shall come with 2 year parts and labor warranty.</p>	20	EACH	Brand _____ Model # _____	\$12,475.00	\$17,940.00	\$	7% then 12% then 20%
23	<p><b>Cleveland 25 gallon electric steam jacketed kettle. Model number KEL-25 or approved equal.</b> Provide Electric Kettle, Tri-leg mounted, self-contained, stationary, Model 25 gallon, 2/3 Steam Jacketed. Type 304 Stainless Steel Kettle and Supports. Rated 50 psi with Safety Valve; Permanently filled Treated Water Steam Jacket. Spring-assisted Domed Cover. Splash Proof Solid State Temperature Control Dial, and Safety Control System in plug-in Module including Heat Cycle and Low Water L.E.D. indicators. Power ON/OFF Switch, Adjustable Temperature Control Dial, Operating temperature range from 145° - 260°F (63°C - 127°C) Base Mounted for Floor Bolting with three (3), tri-bolt flanges. 2" diameter Tangent Draw-off Valve. Self-contained, easily installed - needs only an electrical hook-up. Unit shall come with cold water faucet, 36" kettle paddle, and 2 year parts and labor warranty. <b>Please quote for 208 volt 3 phase and 480 volt 3 phase units.</b></p>	208V 10-480V	EACH	Brand _____ Model # _____ Brand _____ Model # _____	\$11,300.00	\$16,250.00	\$ \$ \$	7% then 12% then 20%
24	<p><b>Advance Tabco stainless steel work table. Model number SS-306 or approved equal.</b> Provide fully assembled work table, 72"L x 30"W x 34"H" Work Height, 14 gauge 304 stainless steel flat top with bull nose edge, 18 gauge stainless steel undershelf installed 10" above the floor, stainless steel legs &amp; adjustable bullet feet, NSF, two year warranty.</p>	40	EACH	Brand _____ Model # _____	\$900.00	\$1,092.00	\$	5% then 5% then 10%
<b>Total</b>						\$199,242.00		